


Amended Claims (Attorney Docket No. 5029C2)

1. (Cancelled).
2. (Cancelled).
3. (Cancelled).
4. (Cancelled).
5. (Cancelled).
6. (Cancelled).
7. (Cancelled).
8. (Cancelled).
9. (Cancelled).
10. (Cancelled).
11. (Cancelled).
12. (Currently amended) A compound ~~useful in the preparation of compounds of Formula 1~~ of the formula

Formula III/Compound 34

wherein

R is hydrogen, hydroxy, oxo, halo, C₁-C₁₀ haloalkyl, C₁-C₁₀ alkyl, cyano, nitro, NR¹₁, SR¹₁, OR¹₂, SO₂R²₂, OCOR²₁, NR¹₂ COR²₁, COR²₂, NR¹₂ SO₂R²₁, NR¹₂ CO₂R²₁, pyrrole, or Ar¹₂, optionally substituted with hydroxy, halogen, cyano, NR¹₂, SR¹₂, trifluoromethyl, OR¹₂, C³-C⁸ cycloalkyl, phenyl, NR¹₂ COR²₁, COR²₂, SO₂R²₂, OCOR²₁, NR¹₂ SO₂R²₁, or NR¹₂ CO₂R²₁;

R¹₂ is hydrogen, C₁-C₁₀ alkyl optionally substituted with 1 to 4 substituents selected from hydroxy, halogen, CO₂H, CO₂C₁-C₁₀ alkyl, SO₂C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy; or C₃-C₈ cycloalkyl, phenyl or naphthyl, each optionally substituted with 1 to 4 substituents selected from halogen, nitro, oxo, C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy, and C₁-C₁₀ alkylthio;

R^2 is R^1 or NR^1 ;

R^3 is hydrogen, C_1 - C_{10} alkyl or $R-Ar^1-CH(OH)-CH_2-$;

Ar^1 is $Ar-O-CH_2$, phenyl, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each moiety being optionally fused to a 5 membered heterocyclic ring containing from 1 to 4 hetero atoms selected from O, S, and N, the fused heterocyclic ring being optionally fused to a phenyl ring or substituted with oxo;

m is 1, 2 or 3;

~~$(CH_2)_m$ may be optionally replaced with $C-O-(CH_2)_m$;~~

X is SO_2 -piperizinyl, NR^3-SO_2 , or SO_2-NR^3 ;

n is 0, 1, 2, 3, or 4;

Ar^2 is phenyl, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each moiety being optionally substituted with halogen, C_1 - C_{10} alkyl, C_1 - C_{10} alkoxy, and OR, or being fused to a 5 membered heterocyclic ring containing from 1 to 4 hetero atoms selected from O, S, and N, the fused heterocyclic ring being optionally fused to a phenyl ring or optionally substituted with oxo;

Y is O - Y, NR^1 , NR^1CO , C_3 - C_8 cycloalkyl or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each of which is optionally substituted with oxo;

p is 0 or 1;

R^4 is hydrogen, R^1 , R^2 , oxo, C_1 - C_{10} heteroalkyl, C_1 - C_{10} alkyl, C_1 - C_{10} haloalkyl, each being optionally substituted with C_3 - C_8 cycloalkyl, phenyl, naphthyl, benzofuran, carbazole, dibenzothiofuran, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S, and N, each ring structure being optionally substituted with halo and C_1 - C_{10} alkyl.

13. (Original) A compound of claim 12 wherein Ar^1 is optionally substituted phenyl or pyridyl, X is NR^3-SO_2 or SO_2-NR^3 , Ar^2 is phenyl, pyridyl pyrimidinyl or pyrrolyl, Y is optionally substituted

pyridyl, pyrrolyl, pyrimidinyl, quinolinyl, imadazolyl, and dihydroenzofuranyl, and R^4 is R^1 or optionally substituted C_1 - C_{10} alkyl.

14. (Original) A compound of claim 13 wherein m is one and n is zero or one.
15. (Original) A compound of Claim 14 wherein R^3 is hydrogen and R^4 is C_1 - C_{10} alkyl optionally substituted with optionally substituted C_3 - C_8 cycloalkyl, phenyl, or pyridyl.
16. (Original) A compound of claim 15 wherein R is hydrogen, halo, C_1 - C_{10} alkyl, nitro or NR^1R^1 , n is zero, X is attached to the chroman moiety in the 6 position, n is zero, Ar^2 is phenyl or pyridyl, and Y is optionally substituted pyridyl or pyrrolyl.
17. (Cancelled).
18. (Cancelled).
19. (Cancelled).
20. (Cancelled).
21. (Cancelled).
22. (Cancelled).
23. (Cancelled).
24. (Cancelled).